

AD-A041 453

ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/6 4/2
12815C LANCE MISSILE NUMBER 4043, ROUND NUMBER 294 RSL (18 JANU--ETC(U)
JAN 77

UNCLASSIFIED

DR-936

NL

| OF |

AD
A041453



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

END

DATE
FILMED
8-77

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DR-936
January 1977

AD

12
B.S.

AD A 041 453


METEOROLOGICAL DATA REPORT

12815C LANCE
MISSILE NO. 4043, ROUND NO. 294 RSL
(18 January 1977)

BY

WSMR METEOROLOGICAL TEAM

COPY AVAILABLE TO DDC DOES NOT
PERMIT FULLY LEGIBLE PROTECTION



ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

AD No. _____
DDC FILE COPY

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.


DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR-936	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 12815C LANCE MISSILE NO. 4043, ROUND NO. 294 RSL (18 January 1977).		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) WSMR Meteorological Team data rept.		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s) DA Task/1T665702D127-02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS (12) 12
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Command Ft. Monmouth, New Jersey		12. REPORT DATE January 1977
		13. NUMBER OF PAGES 39
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 12815C Lance, Missile Number 4043, Round Number 294 RSL, are presented in tabular form.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

	PAGE
INTRODUCTION -----	1
DISCUSSION -----	1
TABLES	
I. Surface Observations Taken at WSD -----	1
II. Surface Observations Taken at LC-33 -----	2
III. Pilot-Balloon-Measured Wind Data, Release No. 1 at 1358 MST -----	3
IV. Pilot-Balloon-Measured Wind Data, Release No. 2 at 1404 MST -----	5
V. Holloman Significant Level Data (Release Time: 1310 MST) -----	8
VI. Holloman Upper Air Data (Release Time: 1310 MST) -----	10
VII. Holloman Mandatory Levels (Release Time: 1310 MST) -----	16
VIII. Jallen Significant Level Data (Release Time: 1320 MST) -----	17
IX. Jallen Upper Air Data (Release Time: 1320 MST) -----	19
X. Jallen Mandatory Levels (Release Time: 1320 MST) -----	24
XI. WSD Significant Level Data (Release Time: 1320 MST) -----	25
XII. WSD Upper Air Data (Release Time: 1320 MST) -----	27
XIII. WSD Mandatory Levels (Release Time: 1320 MST) -----	32

NOTES		White Section <input checked="" type="checkbox"/>
DUE		Butt Section <input type="checkbox"/>
UNANNOUNCED <input type="checkbox"/>		
JUSTIFICATION		
BY		
DISTRIBUTION, AVAILABILITY CODES		
Dist.	AVAIL. and SPECIAL	
A	23	

072

INTRODUCTION

12815C Lance, Missile Number 4043, Round Number 294 RSL, was launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1401 HRS MST, 18 January 1977. The scheduled launch time was 1330 HRS MST.

DISCUSSION

Meteorological data were recorded and reduced by the WSMR Meteorological Team, Atmospheric Sciences Laboratory (ASL), WSMR, New Mexico. The data are presented in the following tabulations.

ELEVATION	3,990.0	FEET/MSL
PRESSURE	889.6	MBS
TEMPERATURE	11.2	°C
RELATIVE HUMIDITY	31	%
DEW POINT	-5.2	°C
DENSITY	1,084.0	GM/M ³
WIND SPEED	06	MPH
WIND DIRECTION	250	DEGREES
CLOUD COVER	9	Cs

TABLE I. SURFACE OBSERVATIONS TAKEN AT WSD,
1350 HRS MST/18 JANUARY 1977.

ELEVATION	3,987.0	FEET/MSL
PRESSURE	889.6	MBS
TEMPERATURE	11.6	°C
RELATIVE HUMIDITY	44	%
DEW POINT	-0.1	°C
DENSITY	1,084.0	GM/M ³
WIND SPEED	08	MPH
WIND DIRECTION	190	DEGREES
CLOUD COVER	8	CI

TABLE II. SURFACE OBSERVATIONS TAKEN AT LC-33,
1401 HRS MST/18 JANUARY 1977.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	170	8.0
100	180	8.0
200	186	8.0
300	191	8.5
400	196	9.0
500	197	9.5
600	207	10.0
700	197	10.0
800	195	10.0
900	196	9.0
1000	203	11.5
1100	199	11.0
1200	199	10.5
1300	197	11.0
1400	192	11.5
1500	202	12.0
1600	207	12.0
1700	207	11.5
1800	211	11.5
1900	204	11.0
2000	204	9.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
2100	203	9.5
2200	203	9.5
2300	202	8.5
2400	197	10.0
2500	198	10.5
2600	202	10.0
2700	206	9.5
2800	217	8.5
2900	235	9.0
3000	246	9.0
3100	242	8.0
3200	256	6.5
3300	273	5.5
3400	275	5.5
3500	275	4.5
3600	266	4.0
3700	233	4.5
3800	235	6.0
3900	238	5.0
4000	259	5.0
4100	266	6.0

TABLE III. PILOT-BALLOON-MEASURED WIND DATA, RELEASE NO. 1
RELEASED FROM LC-33, AT 1358 HRS MST/18 JANUARY 1977
12815C LANCE, MISSILE NO. 4043, ROUND NO. 294 RSL

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,296.83 Y = 185,251.85 Z = 3,986.67

APPROXIMATELY: 813 FEET SOUTHEAST OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	278	6.5
4300	278	5.0
4400	279	7.0
4500	294	1.5
4600	336	4.5
4700	028	2.5
4800	344	3.5
4900	335	3.5
5000	326	4.5
5100	326	5.0
5200	334	5.0
5300	349	4.5
5400	011	3.5
5500	040	2.5
5600	046	3.0

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
5700	041	4.5
5800	043	5.5
5900	046	7.0
6000	049	8.0
6100	050	9.0
6200	046	11.0
6300	047	12.0
6400	043	13.0
6500	041	14.5
6600	040	15.5
6700	046	16.0
6800	045	13.5
6900	044	13.5
7000	047	11.5

TABLE III. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	190	8.0
100	237	10.0
200	233	10.0
300	231	10.5
400	227	10.5
500	210	9.5
600	213	10.0
700	201	13.0
800	193	12.0
900	182	7.0
1000	196	6.0
1100	161	9.0
1200	171	8.5
1300	170	9.5
1400	180	9.5
1500	171	6.5
1600	182	12.5
1700	184	10.5
1800	167	7.0
1900	181	5.0
2000	177	5.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
2100	187	8.5
2200	201	7.5
2300	211	9.5
2400	208	4.5
2500	195	5.0
2600	216	2.0
2700	245	2.5
2800	261	2.0
2900	309	4.5
3000	312	6.0
3100	343	4.0
3200	357	2.0
3300	000	2.5
3400	290	3.0
3500	245	3.5
3600	261	7.5
3700	258	7.5
3800	247	3.5
3900	250	5.0
4000	259	3.0
4100	287	5.0

TABLE IV. PILOT-BALLOON-MEASURED WIND DATA, RELEASE NO. 2
RELEASED FROM LC-33, AT 1404 HRS MST/18 JANUARY 1977
12815C LANCE, MISSILE NO. 4043, ROUND NO. 294 RSL

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,296.83 Y = 185,251.85 Z = 3,986.67

APPROXIMATELY: 813 FEET SOUTHEAST OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	270	3.0
4300	231	5.5
4400	275	4.0
4500	285	5.5
4600	339	5.0
4700	348	5.0
4800	338	4.0
4900	326	8.5
5000	300	11.5
5100	266	4.5
5200	012	4.0
5300	359	5.0
5400	040	7.0
5500	081	6.5
5600	097	7.5
5700	106	7.5
5800	091	8.5
5900	084	10.5
6000	062	12.5
6100	070	15.5
6200	066	18.0
6300	050	16.5
6400	046	15.5
6500	037	11.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
6600	042	14.5
6700	061	19.0
6800	065	20.5
6900	064	18.0
7000	067	14.5
7100	057	11.0
7200	068	9.5
7300	072	10.5
7400	067	8.0
7500	055	9.5
7600	068	9.0
7700	070	9.5
7800	068	9.0
7900	066	12.0
8000	060	11.5
8100	050	9.5
8200	056	9.5
8300	046	12.0
8400	042	13.0
8500	040	13.0
8600	018	11.0
8700	028	8.0
8800	033	9.5
8900	037	8.0

TABLE IV. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
9000	024	9.5
9100	015	8.5
9200	011	8.0
9300	003	10.0
9400	008	12.0
9500	025	9.0
9600	032	7.0
9700	040	8.0
9800	014	8.5
9900	019	15.0
10000	029	13.5
10100	022	13.0
10200	021	17.5
10300	020	15.0
10400	022	13.0
10500	035	8.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
10600	033	11.5
10700	010	12.5
10800	017	10.5
10900	002	11.0
11000	351	12.0
11100	349	12.0
11200	012	12.0
11300	011	13.0
11400	360	10.5
11500	355	12.5
11600	360	18.5
11700	358	19.0
11800	360	21.0
11900	357	20.0
12000	352	19.5

TABLE IV. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

STATION ALTITUDE 4126.59 FEET MSL
18 JAN. 77 1310 HRS MST
ASCENSION NO. 77

SIGNIFICANT LEVEL DATA
0180010037
HOLL OMAN

WSTM SITE COORDINATES
571739.24 FEET E
362745.21 FEET N

TABLE V

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR DEGREES	DEWPOINT CENTIGRADE	
885.9	4126.6	11.0	-5.0	32.0
874.5	4475.8	7.5	-7.3	34.0
850.0	5245.1	6.1	-7.8	36.0
794.5	7341.6	1.1	-9.8	44.0
760.2	8212.6	2.0	-11.5	36.0
719.4	9673.0	1.4	-13.5	32.0
709.2	10051.7	3.0	-12.8	30.0
700.0	10398.8	2.5	-13.7	29.0
590.0	14887.2	-3.6	-21.7	23.0
554.8	16480.5	-4.9	-27.5	15.0
500.0	19133.9	-11.6	-32.3	16.0
475.6	20379.7	-12.4	-35.0	13.0
400.0	24643.8	-23.9	-43.7	14.0
344.8	28152.6	-32.0	-49.8	15.0
300.0	31329.5	-40.7		
250.0	35321.7	-51.4		
238.8	36297.8	-53.3		
218.0	39222.5	-55.1		
200.0	40016.4	-59.7		
176.8	42512.6	-67.0		
160.8	44285.8	-70.1		
150.0	45750.0	-69.7		
111.2	51570.1	-73.8		
100.0	53622.2	-72.3		
82.2	57389.3	-76.2		
76.9	58689.8	-74.1		
70.0	60467.0	-75.6		
64.5	62010.5	-73.0		
59.0	62756.5	-74.6		
50.0	66978.5	-69.4		

STATION ALTITUDE 4125.59 FEET MSI
 18 JAN. 77 1310 HRS MST
 ASCENSION NO. 77

SIGNIFICANT LEVEL DATA
 C18G010C37
 HOLLDMAN

WSTM SITE COORDINATES
 571739.24 FEET E
 362745.21 FEET N

TABLE V (CONT)

PRESSURE	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
37.4	72727.2	-67.6	
30.0	77220.7	-57.6	
24.0	81925.0	-53.3	

UPPER AIR DATA
 0180010037
 HOLLoman

STATION ALTITUDE 4125.59 FEET MSL
 18 JAN. 77 1310 HRS MST
 ASCENSION NO. 77

WSTM SITE COORDINATES
 571739.24 FEET E
 362745.21 FEET N

TABLE VI

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND M/SEC	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES(TN)	SPEED KNOTS	
4126.6	685.9	11.0	-5.0	32.0	1084.2	657.3	180.0	6.0	1.000261
4500.0	672.8	7.5	-7.3	34.1	1063.2	653.1	187.2	6.0	1.000258
5000.0	657.8	6.5	-7.7	35.4	1066.7	652.0	196.5	6.2	1.000254
5500.0	641.9	5.4	-8.1	37.1	1051.4	650.7	205.2	6.5	1.000250
6000.0	626.3	4.0	-8.6	39.4	1037.1	649.0	208.7	6.5	1.000247
6500.0	610.9	2.6	-9.1	41.6	1023.0	647.4	204.2	6.0	1.000243
7000.0	795.8	1.2	-9.7	43.8	1009.1	645.7	201.7	5.0	1.000240
7500.0	781.0	1.5	-10.4	40.9	989.4	646.0	207.2	3.0	1.000234
8000.0	766.3	1.8	-11.1	37.5	969.6	646.4	243.9	1.1	1.000229
8500.0	752.0	1.9	-11.9	35.2	951.3	646.5	233.3	2.3	1.000224
9000.0	737.9	1.7	-12.5	33.8	934.3	646.2	353.2	4.5	1.000220
9500.0	724.1	1.5	-13.2	32.5	917.5	646.0	12.6	6.8	1.000215
10000.0	710.6	2.8	-12.9	30.3	896.0	647.5	23.4	9.1	1.000211
10500.0	697.3	2.4	-13.9	28.9	880.7	647.0	34.7	10.5	1.000207
11000.0	684.2	1.7	-14.7	28.2	866.3	646.2	23.6	10.1	1.000203
11500.0	671.2	1.0	-15.6	27.5	852.1	645.4	247.7	10.4	1.000199
12000.0	658.6	.3	-16.5	26.9	838.1	644.6	356.2	12.1	1.000195
12500.0	646.2	-4	-17.4	26.2	824.4	643.7	17.0	15.0	1.000192
13000.0	634.0	-1.0	-18.3	25.5	810.4	642.9	30.2	17.5	1.000188
13500.0	622.0	-1.7	-19.2	24.9	797.7	642.1	41.0	18.9	1.000185
14000.0	610.3	-2.4	-20.1	24.2	784.6	641.3	41.1	18.1	1.000181
14500.0	598.8	-3.1	-21.0	23.5	771.8	640.5	14.0	14.0	1.000178
15000.0	587.4	-3.7	-22.0	22.4	759.0	639.7	348.0	14.3	1.000175
15500.0	576.2	-4.1	-23.7	19.9	745.6	639.2	345.8	15.9	1.000171
16000.0	565.2	-4.5	-25.5	17.4	732.5	638.7	243.7	17.5	1.000167
16500.0	554.4	-4.9	-27.5	15.0	719.8	638.1	341.2	19.1	1.000164
17000.0	543.0	-6.2	-28.4	15.2	709.2	636.6	239.8	20.8	1.000161
17500.0	533.1	-7.5	-29.3	15.4	698.7	635.1	341.0	22.6	1.000159
18000.0	522.7	-8.7	-30.2	15.6	688.4	633.6	242.7	24.4	1.000156
18500.0	512.5	-10.0	-31.1	15.8	678.3	632.1	346.5	26.4	1.000154

STATION ALTITUDE 4126.59 FEET MSL
18 JAN. 77 1310 HRS MST
ASCENSION NO. 17

UPPER AIR DATA
0180010037
HULLMAN
TABLE VI (CONT)

WSM SITE COORDINATES
571759.24 FEET E
362745.21 FEET N

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	TEMPERATURE DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND M/KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES (TN)	SPEED M/KNOTS	
19000.0	502.6	-11.3	-32.0	15.9	668.4	630.5	349.8	28.4	1.000151
19500.0	492.8	-11.8	-33.1	15.1	656.8	629.8	352.9	30.0	1.000148
20000.0	483.1	-12.2	-34.2	13.8	644.7	629.4	255.8	31.5	1.000145
20500.0	473.5	-12.8	-35.4	13.0	633.5	628.6	359.0	31.3	1.000143
21000.0	464.0	-14.2	-36.4	13.2	623.9	627.0	1.6	30.9	1.000140
21500.0	454.6	-15.5	-37.4	13.3	614.6	625.4	2.9	30.0	1.000138
22000.0	445.5	-16.8	-38.4	13.4	605.3	623.8	4.1	29.5	1.000136
22500.0	436.5	-18.2	-39.4	13.5	596.2	622.1	5.0	29.7	1.000134
23000.0	427.7	-19.5	-40.4	13.6	587.3	620.5	5.8	31.0	1.000132
23500.0	419.1	-20.8	-41.4	13.7	578.5	618.9	6.3	33.4	1.000130
24000.0	410.6	-22.2	-42.4	13.9	569.9	617.2	7.2	33.9	1.000128
24500.0	402.2	-23.5	-43.4	14.0	561.4	615.6	8.2	33.8	1.000126
25000.0	394.0	-24.7	-44.3	14.1	552.5	614.1	9.4	33.8	1.000124
25500.0	385.8	-25.9	-45.2	14.2	543.4	612.6	10.7	33.9	1.000122
26000.0	377.7	-27.0	-46.1	14.4	534.5	611.2	10.6	34.2	1.000120
26500.0	369.8	-28.2	-46.9	14.5	525.8	609.8	9.0	34.8	1.000118
27000.0	362.0	-29.3	-47.8	14.7	517.2	608.3	6.4	34.6	1.000116
27500.0	354.5	-30.5	-48.7	14.8	508.8	606.9	.8	32.6	1.000114
28000.0	347.0	-31.6	-49.5	15.0	500.6	605.4	354.5	30.9	1.000112
28500.0	339.6	-33.0	-51.6	13.4**	492.5	603.8	247.5	29.4	1.000110
29000.0	332.2	-34.3	-54.3	11.0**	484.5	602.1	340.1	28.5	1.000108
29500.0	325.0	-35.7	-57.4	8.6**	476.8	600.3	337.0	29.0	1.000106
30000.0	318.0	-37.1	-60.9	6.3**	469.7	598.6	334.1	29.5	1.000105
30500.0	311.1	-38.4	-65.4	3.9**	461.7	596.9	230.3	31.5	1.000103
31000.0	304.4	-39.8	-72.8	1.6**	454.4	595.1	326.9	33.7	1.000101
31500.0	297.7	-41.2			447.0	593.4	221.8	35.8	1.000100
32000.0	291.0	-42.5			439.4	591.7	316.7	38.1	1.000098
32500.0	284.4	-43.8			432.0	589.5	311.6	40.3	1.000096
33000.0	278.0	-45.2			424.8	588.2	306.4	42.3	1.000095
33500.0	271.7	-46.5			417.6	586.5	302.3	44.4	1.000093

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
C180010037
40110MAN

STATION ALTITUDE 4125.59 FEET MSL
19 JAN. 77 1710 40S WST
ASCENSION NO. 77

WSM SITE COORDINATES
571739.24 FEET E
362745.21 FEET N

TABLE VI (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
34000.0	265.6	-47.0		410.6	584.7	299.9	45.8	1.000091
34500.0	259.6	-49.2		403.8	583.0	297.7	47.3	1.000090
35000.0	253.7	-50.5		397.0	581.3	298.0	49.0	1.000088
35500.0	247.9	-51.7		390.1	579.7	298.2	50.7	1.000087
36000.0	242.2	-52.7		382.7	578.4	298.6	53.4	1.000085
36500.0	236.5	-53.5		375.1	577.4	298.9	56.4	1.000084
37000.0	231.0	-54.0		367.1	576.8	300.0	60.9	1.000082
37500.0	225.6	-54.4		359.3	576.2	301.5	66.3	1.000080
38000.0	220.3	-54.9		351.6	575.5	302.2	71.0	1.000078
38500.0	215.1	-55.8		344.8	574.3	302.2	74.8	1.000077
39000.0	210.0	-57.1		338.6	572.6	301.5	76.1	1.000075
39500.0	205.0	-58.4		332.5	570.9	299.9	74.7	1.000074
40000.0	200.2	-59.7		326.6	569.2	298.9	74.7	1.000073
40500.0	195.3	-61.1		320.8	567.3	298.6	76.2	1.000071
41000.0	190.5	-62.6		315.2	565.3	299.1	77.9	1.000070
41500.0	185.9	-64.0		309.6	563.4	300.5	80.0	1.000069
42000.0	181.3	-65.5		304.2	561.4	300.9	80.8	1.000068
42500.0	176.9	-67.0		298.9	559.4	298.3	78.1	1.000067
43000.0	172.5	-67.8		292.6	558.3	295.3	75.2	1.000065
43500.0	168.2	-68.6		286.5	557.1	290.2	69.0	1.000064
44000.0	164.0	-69.5		280.4	556.0	284.1	63.4	1.000062
44500.0	159.9	-70.1		274.2	555.2	284.5	62.4	1.000061
45000.0	155.8	-69.9		267.1	555.4	286.0	62.0	1.000060
45500.0	151.9	-69.8		260.2	555.6	287.7	63.5	1.000058
46000.0	148.1	-69.9		253.8	555.4	289.4	66.4	1.000057
46500.0	144.3	-70.2		247.8	555.0	290.9	69.3	1.000055
47000.0	140.7	-70.6		241.9	554.5	290.7	68.2	1.000054
47500.0	137.1	-70.9		236.2	554.0	290.5	67.2	1.000053
48000.0	133.6	-71.3		230.6	553.5	291.1	65.8	1.000051
48500.0	130.2	-71.6		225.1	553.0	292.6	64.3	1.000050

UPPER AIR DATA
 0180010037
 HOLLISMAN
 WSTM SITE COORDINATES
 571739.24 FEET E
 362745.21 FEET N

STATION ALTITUDE 4126.59 FEET MSL
 18 JAN. 77 1310 HRS MSL
 ASCENSION NO. 77
 TABLE VI (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
49000.0	126.9	-72.0		219.8	552.5	294.2	62.9	1.000049
49500.0	123.7	-72.3		214.8	552.1	294.7	63.0	1.000048
50000.0	120.6	-72.7		209.5	551.6	295.3	63.2	1.000047
50500.0	117.5	-73.0		204.5	551.1	295.0	62.8	1.000045
51000.0	114.5	-73.4		199.7	550.6	294.0	62.1	1.000044
51500.0	111.6	-73.8		195.0	550.1	293.4	61.4	1.000043
52000.0	108.8	-73.5		189.7	550.5	293.5	60.8	1.000042
52500.0	106.0	-73.1		184.8	551.0	293.6	60.2	1.000041
53000.0	103.3	-72.8		179.5	551.5	295.1	59.7	1.000040
53500.0	100.6	-72.4		174.6	552.0	296.5	59.1	1.000039
54000.0	98.1	-72.7		170.4	551.6	297.3	58.6	1.000038
54500.0	95.5	-73.2		166.5	550.9	297.3	52.1	1.000037
55000.0	93.1	-73.7		162.6	550.2	297.3	47.6	1.000036
55500.0	90.7	-74.2		158.8	549.4	299.4	47.0	1.000035
56000.0	88.4	-74.8		155.2	548.7	301.6	46.5	1.000035
56500.0	86.1	-75.3		151.6	548.0	304.0	46.0	1.000034
57000.0	83.9	-75.8		148.1	547.3	306.5	45.5	1.000033
57500.0	81.7	-76.0		144.4	547.0	309.1	45.2	1.000032
58000.0	79.6	-75.2		140.1	548.1	310.6	44.6	1.000031
58500.0	77.6	-74.4		136.0	549.2	310.2	43.4	1.000030
59000.0	75.5	-74.4		132.4	549.3	309.8	42.2	1.000029
59500.0	73.6	-74.8		129.3	548.7	309.9	42.2	1.000029
60000.0	71.7	-75.2		126.2	548.1	310.6	43.2	1.000028
60500.0	69.9	-75.5		123.2	547.6	311.3	44.2	1.000027
61000.0	68.1	-74.7		119.5	548.8	312.3	44.4	1.000027
61500.0	66.3	-73.9		116.0	550.0	313.4	44.4	1.000026
62000.0	64.6	-73.0		112.5	551.1	314.5	44.4	1.000025
62500.0	63.0	-73.4		109.9	550.5	315.2	44.0	1.000024
63000.0	61.4	-73.9		107.3	549.9	315.9	43.7	1.000024
63500.0	59.8	-74.4		104.8	549.3	317.0	43.1	1.000023

STATION ALTITUDE 4126.59 FEET MSL
18 JAN. 77 1710 HRS MST
ASCENSION NO. 77

UPPER AIR DATA
0180010037
HOLLDMAN
TABLE VI (CONT)

WSTM SITE COORDINATES
571739.24 FEET E
362745.21 FEET N

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND MNTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
54000.0	58.3	-74.2		102.0	549.5	318.6	42.4	1.000023
64500.0	56.8	-73.4		99.0	550.6	320.3	41.6	1.000022
65000.0	55.4	-72.6		96.1	551.7	321.0	41.6	1.000021
65500.0	53.9	-71.8		93.2	552.8	321.4	41.6	1.000021
66000.0	52.6	-71.0		90.6	553.9	321.7	41.7	1.000020
66500.0	51.2	-70.2		87.9	555.0	321.3	41.6	1.000020
67000.0	49.9	-69.4		85.4	556.1	320.9	41.6	1.000019
67500.0	48.7	-69.2		83.2	556.3	320.6	41.4	1.000019
68000.0	47.5	-59.1		81.1	556.5	320.4	41.2	1.000018
68500.0	46.3	-68.9		79.0	556.7	320.1	40.9	1.000018
69000.0	45.1	-68.8		77.0	557.0	319.3	40.8	1.000017
69500.0	44.0	-68.6		75.0	557.2	318.5	40.6	1.000017
70000.0	42.9	-68.5		73.0	557.4	317.6	40.1	1.000016
70500.0	41.9	-68.3		71.2	557.6	316.8	39.3	1.000016
71000.0	40.8	-68.1		69.3	557.8	315.9	38.5	1.000015
71500.0	39.8	-68.0		67.6	558.0	315.8	37.5	1.000015
72000.0	38.8	-67.8		65.8	558.2	315.9	36.5	1.000015
72500.0	37.8	-67.7		64.1	558.4	316.2	35.5	1.000014
73000.0	36.9	-67.0		62.4	559.4	317.5	34.9	1.000014
73500.0	36.0	-65.9		60.5	560.9	318.8	34.4	1.000013
74000.0	35.1	-64.8		58.7	562.4	318.5	33.9	1.000013
74500.0	34.2	-63.7		57.0	563.9	316.2	33.7	1.000013
75000.0	33.5	-62.5		55.3	565.4	313.9	33.5	1.000012
75500.0	32.6	-61.4		53.7	566.9	308.5	34.0	1.000012
76000.0	31.9	-60.3		52.1	568.3	301.7	35.4	1.000012
76500.0	31.1	-59.2		50.6	569.8	295.5	37.1	1.000011
77000.0	30.3	-58.1		49.1	571.3	289.9	37.9	1.000011
77500.0	29.6	-57.3		47.8	572.3	284.5	38.7	1.000011
78000.0	28.9	-56.9		46.6	572.9	279.4	39.9	1.000010
78500.0	28.2	-56.4		45.4	573.5	279.0	40.0	1.000010

STATION ALTITUDE 4126.59 FEET MSL
 18 JAN. 77 1310 HRS MST
 ASCENSION NO. 77

UPPER AIR DATA
 C180010037
 HOLLIDMAN

TABLE VI (CONT)

WSTM SITE COORDINATES
 571739.24 FEET E
 362745.21 FEET N

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES (TN)	SPEED KNOTS	
79000.0	27.6	-56.0		49.2	574.1	278.7	40.1	1.000010
79500.0	26.9	-55.5		42.1	574.7			1.000010
80000.0	26.3	-55.1		42.0	575.3			1.000009
80500.0	25.7	-54.5		40.9	575.9			1.000009
81000.0	25.1	-54.1		39.9	576.5			1.000009
81500.0	24.5	-53.7		38.9	577.1			1.000009

STATION ALTITUDE 4126.59 FEET MSI
 18 JAN. 77 1310 HRS MST
 ASCENSION NO. 77

MANDATORY LEVELS
 C180010037
 HOLLoman
 TABLE VII

WSTM SITE COORDINATES
 571739.24 FEET E
 362745.21 FEET N

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	5743.	6.1	-7.8	36.	200.9	6.3
800.0	6860.	1.6	-9.5	43.	200.9	5.6
750.0	8566.	1.9	-11.9	35.	336.7	2.6
700.0	10392.	2.5	-17.7	29.	32.6	10.1
650.0	12348.	-0.1	-17.1	26.	11.9	14.0
600.0	14438.	-3.0	-20.9	24.	17.5	14.3
550.0	16689.	-5.5	-27.9	15.	340.3	19.8
500.0	19114.	-11.6	-32.3	16.	350.7	28.8
450.0	21746.	-16.2	-37.9	13.	3.6	29.5
400.0	24611.	-23.9	-43.7	14.	8.5	33.8
350.0	27762.	-31.2	-49.2	15.	357.1	31.6
300.0	31278.	-40.7			323.7	35.0
250.0	35257.	-51.4			298.1	50.0
200.0	39934.	-59.7			298.9	74.8
175.0	42622.	-67.2			297.1	77.0
150.0	45643.	-69.7			288.5	64.9
125.0	49186.	-72.2			294.5	63.0
100.0	53477.	-72.2			296.9	59.0
75.0	57738.	-75.4			310.7	44.8
50.0	62783.	-75.6			311.2	44.2
25.0	63234.	-74.2			316.8	43.3
	66754.	-69.4			320.9	41.6
	71138.	-68.0			315.8	37.8
	76925.	-57.6			287.6	38.2
	80723.	-54.1				

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4051.00 FEET MSL
16 JAN. 77 1320 HRS MST
ASCENSION NO. 23

SIGNIFICANT LEVEL DATA
G180230023
JALLFN

WSTM SITE COORDINATES
450491.60 FEET E
464023.05 FEET N

TABLE VIII

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
	AIR DEGREES	DEWPOINT CENTIGRADE	
988.1	12.4	-8.1	23.0
977.8	8.4	-5.1	38.0
850.0	6.0	-6.6	40.0
907.0	1.6	-7.9	49.0
787.6	2.8	-8.2	44.0
755.4	1.1	-9.2	46.0
717.6	3.8	-9.5	37.0
700.0	3.3	-10.3	36.0
596.4	-3.2	-17.1	33.0
585.4	-3.0	-18.9	28.0
500.0	-11.4	-27.0	26.0
494.3	-10.9	-27.9	23.0
400.0	-24.2	-38.9	24.0
324.4	-35.8	-49.0	24.0
300.0	-40.8		
250.0	-50.9		
241.2	-52.5		
231.6	-53.0		
200.0	-59.8		
169.4	-68.9		
153.6	-69.5		
150.0	-68.0		
146.2	-66.6		
116.4	-71.9		
100.0	-72.6		
92.8	-76.6		
76.8	-72.9		
70.0	-74.1		
65.4	-71.0		
60.0	-74.1		

STATION ALTITUDE 4051.00 FEET MSL
 18 JAN. 77
 ASCENSION NO. 13

SIGNIFICANT LEVEL DATA
 C180030023
 JALLEN

WSTM SITE COORDINATES
 450491.60 FEET E
 454023.05 FEET N

TABLE VIII (CONT)

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
50.0 67094.3	-69.4	
37.8 72650.8	-65.8	

UPPER AIR DATA
C180030023
JALLEN

STATION ALTITUDE 4051.00 FEET MSI
18 JAN. 77 1320 HRS MST
ASCENSION NO. 23

WSTM SITE COORDINATES
450491.60 FEET E
464023.05 FEET N

TABLE IX

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE			KNOTS	KNOTS	DIRECTION DEGREES (TN)	SPEED KNOTS	
4051.0	388.1	12.4	-8.1	23.0	1081.9	658.8		190.0	1.9	1.000255
4500.0	873.6	8.0	-5.3	38.3	1080.3	653.9				1.000260
5000.0	857.5	6.7	-6.1	39.5	1065.8	652.2				1.000255
5500.0	841.7	5.2	-6.8	41.7	1051.8	650.5				1.000252
6000.0	825.1	3.6	-7.2	44.9	1038.3	648.6				1.000249
6500.0	810.8	2.0	-7.8	48.2	1024.9	646.7				1.000245
7000.0	795.6	2.3	-8.1	46.1	1004.7	647.1				1.000240
7500.0	780.8	2.4	-8.4	44.4	985.4	647.2		243.0	1.4	1.000236
8000.0	766.2	1.7	-8.9	45.3	969.7	646.3		296.2	4.8	1.000232
8500.0	751.9	1.3	-9.2	45.2	952.7	645.9		300.9	6.4	1.000228
9000.0	737.8	2.3	-9.3	41.9	931.6	647.1		304.4	7.4	1.000223
9500.0	724.1	3.3	-9.4	38.6	910.9	648.3		326.1	5.5	1.000216
10000.0	710.6	3.6	-9.8	36.6	893.1	648.6		358.7	5.5	1.000213
10500.0	697.4	3.1	-10.5	35.9	878.0	648.0		18.5	8.5	1.000209
11000.0	684.2	2.4	-11.3	35.6	863.9	647.1		28.6	10.7	1.000205
11500.0	671.4	1.6	-12.1	35.2	850.1	646.2		37.8	11.6	1.000202
12000.0	658.7	.8	-12.9	34.9	836.5	645.3		39.6	11.2	1.000198
12500.0	646.3	.1	-13.7	34.5	822.1	644.3		36.7	9.9	1.000194
13000.0	634.2	-.7	-14.5	34.2	810.0	643.4		27.1	9.7	1.000191
13500.0	622.3	-1.5	-15.3	33.8	797.0	642.5		16.5	10.2	1.000187
14000.0	610.5	-2.2	-16.1	33.4	784.3	641.6		6.4	11.7	1.000184
14500.0	599.1	-3.0	-17.0	33.1	771.8	640.6		258.8	13.2	1.000180
15000.0	587.7	-3.0	-18.5	29.0	757.3	640.6		352.7	13.5	1.000175
15500.0	576.4	-3.8	-19.7	27.8	744.9	639.6		246.9	14.2	1.000173
16000.0	565.2	-4.9	-20.7	27.6	733.4	638.4		342.0	15.8	1.000170
16500.0	554.3	-5.9	-21.7	27.3	722.0	637.1		338.7	18.2	1.000167
17000.0	543.6	-6.9	-22.7	27.1	710.9	635.8		336.9	21.3	1.000164
17500.0	533.1	-8.0	-23.7	26.8	699.0	634.6		338.2	23.4	1.000161
18000.0	522.8	-9.0	-24.7	26.6	689.1	633.3		341.6	24.7	1.000158
18500.0	512.7	-10.1	-25.7	26.3	678.5	632.1		345.0	26.2	1.000155

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

UPPER AIR DATA
 0180030023
 JALLEN
 WSTM SITE COORDINATES
 450451.60 FEET E
 464023.05 FEET N

STATION ALTITUDE 4051.00 FEET MSL
 18 JAN. 77 1320 HRS MST
 ASCENSION '10. 23

TABLE IX (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE			KNOTS	KNOTS	DIRECTION DEGREES (TN)	SPEED KNOTS	
19000.0	502.8	-11.1	-26.7	26.1	668.0	630.8	248.1	348.6	27.9	1.000153
19500.0	492.9	-11.1	-28.0	23.0	654.9	630.8	348.6	348.8	28.9	1.000149
20000.0	483.0	-12.4	-29.1	23.1	644.9	629.3	348.8	350.9	29.3	1.000147
20500.0	473.3	-13.6	-30.1	23.2	635.1	627.7	350.9	352.7	27.2	1.000144
21000.0	463.8	-14.9	-31.2	23.3	625.4	626.2	352.7	353.6	25.4	1.000142
21500.0	454.5	-16.2	-32.3	23.4	615.0	624.6	353.6	354.2	24.3	1.000140
22000.0	445.3	-17.5	-33.3	23.5	606.5	623.0	354.2	354.5	24.5	1.000137
22500.0	436.4	-18.7	-34.4	23.6	597.3	621.5	354.5	356.1	25.6	1.000135
23000.0	427.6	-20.0	-35.4	23.7	588.3	619.9	356.1	357.9	26.9	1.000133
23500.0	419.0	-21.3	-36.5	23.8	579.4	618.3	357.9	.0	28.1	1.000131
24000.0	410.6	-22.6	-37.6	23.9	570.7	616.8	.0	2.1	29.6	1.000129
24500.0	402.3	-23.8	-39.6	24.0	562.1	615.2	2.1	4.8	31.2	1.000126
25000.0	394.0	-25.0	-39.7	24.0	553.0	613.7	4.8	7.4	32.6	1.000124
25500.0	385.6	-26.2	-40.7	24.0	544.0	612.2	7.4	8.9	34.0	1.000122
26000.0	377.5	-27.4	-41.7	24.0	535.1	610.8	8.9	10.0	34.0	1.000120
26500.0	369.5	-28.6	-42.7	24.0	526.3	609.3	10.0	5.6	33.8	1.000118
27000.0	361.7	-29.8	-43.8	24.0	517.7	607.8	5.6	.7	32.0	1.000116
27500.0	354.1	-31.0	-44.8	24.0	509.2	606.3	.7	354.4	30.5	1.000114
28000.0	346.6	-32.1	-45.8	24.0	500.9	604.8	354.4	347.5	29.3	1.000112
28500.0	339.3	-33.3	-46.8	24.0	492.8	603.4	347.5	341.5	28.5	1.000110
29000.0	332.1	-34.5	-47.9	24.0	484.8	601.9	341.5	335.6	27.9	1.000108
29500.0	325.1	-35.7	-48.9	24.0	476.9	600.4	335.6	330.6	27.4	1.000107
30000.0	318.0	-37.1	-52.6	17.9**	469.3	598.6	330.6	326.3	28.3	1.000105
30500.0	311.1	-38.5	-57.6	11.1**	461.8	596.8	326.3	325.1	29.6	1.000103
31000.0	304.2	-39.9	-65.8	4.4**	454.5	595.0	325.1	324.7	30.9	1.000101
31500.0	297.0	-41.2			447.0	593.3	324.7	320.0	32.1	1.000100
32000.0	290.9	-42.5			439.3	591.6	320.0	315.0	34.4	1.000098
32500.0	284.3	-43.8			431.8	590.0	315.0	310.1	37.3	1.000096
33000.0	277.9	-45.0			424.4	588.4	310.1	305.7	40.1	1.000095
33500.0	271.6	-46.3			417.1	586.8	305.7		43.0	1.000093

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
C180030023
JALLEN

STATION ALTITUDE 4051.00 FEET MSI
18 JAN. 77 1100 HRS MST
ASCENSION NO. 23

WSTM SITE COORDINATES
450491.50 FEET E
464023.05 FEET N

TABLE IX (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	WIND DATA		INDEX OF REFRACTION
					DIRECTION DEGREES (TN)	SPEED KNOTS	
34000.0	265.5	-47.6		410.0	303.6	545.1	1.000091
34500.0	259.5	-48.8		403.0	302.2	583.5	1.000090
35000.0	253.7	-50.1		396.0	301.9	581.8	1.000088
35500.0	247.9	-51.3		389.2	302.0	580.3	1.000097
36000.0	242.1	-52.3		382.0	302.0	578.9	1.000085
36500.0	236.5	-52.7		373.8	301.9	578.4	1.000083
37000.0	231.0	-53.1		365.7	302.3	577.9	1.000081
37500.0	225.6	-54.2		358.9	303.2	576.4	1.000080
38000.0	220.2	-55.3		352.2	303.7	575.0	1.000078
38500.0	215.0	-56.4		345.7	303.7	573.5	1.000077
39000.0	209.9	-57.6		339.2	303.4	572.0	1.000076
39500.0	205.0	-58.7		332.9	302.7	570.6	1.000074
40000.0	200.1	-59.8		326.7	301.8	569.1	1.000073
40500.0	195.2	-61.1		320.8	300.3	567.3	1.000071
41000.0	190.4	-62.5		314.9	299.1	565.5	1.000070
41500.0	185.8	-63.8		309.2	298.3	563.6	1.000069
42000.0	181.2	-65.2		303.6	298.1	561.8	1.000068
42500.0	176.8	-66.6		298.1	299.8	559.9	1.000066
43000.0	172.5	-67.9		292.7	201.6	558.1	1.000065
43500.0	168.2	-68.9		286.9	299.1	556.7	1.000064
44000.0	164.0	-69.1		280.0	296.1	556.5	1.000062
44500.0	159.9	-69.3		273.1	292.4	556.3	1.000061
45000.0	155.9	-69.4		266.5	288.3	556.1	1.000059
45500.0	152.0	-68.8		259.1	285.5	556.9	1.000058
46000.0	148.2	-67.3		250.6	286.7	558.9	1.000056
46500.0	144.5	-66.9		244.0	287.8	559.5	1.000054
47000.0	140.8	-67.5		238.5	287.9	558.7	1.000053
47500.0	137.3	-68.1		233.2	287.8	557.9	1.000052
48000.0	133.9	-68.6		228.0	288.0	557.1	1.000051
48500.0	130.5	-69.2		223.0	288.3	556.3	1.000050

UPPER AIR DATA
 0180030023
 JALLEN
 TABLE XI (CONT)

WSM SITE COORDINATES
 450491.50 FEET E
 464022.05 FEET N

STATION ALTITUDE 4051.00 FEET MSL
 18 JAN. 77 1720 HRS MST
 ASCENSION NO. 22

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	DEWPOINT DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
						KNOTS	KNOTS	DIRECTION DEGREES(TN)	SPEED KNOTS	
49000.0	127.2	-69.8			218.0	555.5		288.9	64.1	1.000049
49500.0	124.0	-70.4			213.2	554.7		290.3	60.8	1.000047
50000.0	120.9	-71.0			208.4	553.9		291.4	58.3	1.000046
50500.0	117.9	-71.6			203.8	553.1		291.0	59.5	1.000045
51000.0	114.9	-72.0			199.0	552.6		290.7	60.6	1.000044
51500.0	112.0	-72.1			194.1	552.4		291.0	60.4	1.000043
52000.0	109.2	-72.2			189.2	552.3		291.4	60.2	1.000042
52500.0	106.4	-72.3			184.5	552.1		291.2	58.2	1.000041
53000.0	103.7	-72.4			179.9	551.9		290.8	56.1	1.000040
53500.0	101.0	-72.6			175.5	551.8		291.0	53.8	1.000039
54000.0	98.4	-72.9			171.3	551.3		291.5	51.4	1.000038
54500.0	95.9	-73.5			167.3	550.5		292.9	49.8	1.000037
55000.0	93.4	-74.0			163.5	549.7		296.4	50.6	1.000036
55500.0	91.0	-74.6			159.7	549.0		299.8	51.7	1.000036
56000.0	88.7	-75.1			156.1	548.2		303.0	50.9	1.000035
56500.0	86.4	-75.7			152.5	547.4		306.3	50.1	1.000034
57000.0	84.2	-76.2			149.0	546.7		308.7	49.3	1.000033
57500.0	82.0	-76.1			145.1	546.8		310.3	48.5	1.000032
58000.0	79.9	-74.9			140.4	548.6		311.6	47.8	1.000031
58500.0	77.9	-73.6			135.9	550.4		311.2	46.8	1.000030
59000.0	75.9	-73.1			132.1	551.1		310.9	45.9	1.000029
59500.0	73.9	-73.4			128.9	550.6		310.6	43.1	1.000029
60000.0	72.0	-73.7			125.8	550.2		310.3	39.7	1.000028
60500.0	70.2	-74.1			122.2	549.7		310.2	37.4	1.000027
61000.0	68.4	-73.0			119.1	551.1		310.9	38.6	1.000027
61500.0	66.7	-71.9			115.4	552.7		311.5	39.7	1.000026
62000.0	65.0	-71.2			112.1	553.6		311.7	40.4	1.000025
62500.0	63.2	-72.2			109.7	552.3		311.7	40.8	1.000024
63000.0	61.7	-73.1			107.4	551.0		311.9	41.3	1.000024
63500.0	60.1	-74.0			105.2	549.7		312.7	41.7	1.000023

UPPER AIR DATA
0180030023
JALLEN
TABLE IX (CONT)

STATION ALTITUDE 4051.00 FEET MSL
18 JAN. 77 1320 4RS MST
ASCENSION NO. 23

WSTM SITE COORDINATES
450491.60 FEET E
464023.35 FEET N

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
54000.0	58.6	-73.5		102.3	550.5	313.4	42.2	1.000023
54500.0	57.1	-72.8		99.3	551.4	315.1	41.1	1.000022
55000.0	55.7	-72.2		96.5	552.3	317.3	39.4	1.000021
55500.0	54.3	-71.5		93.8	553.2	319.7	38.0	1.000021
56000.0	52.9	-70.8		91.1	554.1	322.1	38.0	1.000020
56500.0	51.5	-70.2		88.5	555.0	324.4	37.9	1.000020
57000.0	50.2	-69.5		86.0	555.9	324.6	40.3	1.000019
57500.0	49.0	-69.1		83.7	556.4	323.7	43.8	1.000019
58000.0	47.8	-68.8		81.4	556.9	323.1	47.0	1.000018
58500.0	46.6	-68.5		79.3	557.3	324.3	47.0	1.000018
59000.0	45.4	-68.2		77.2	557.8	325.4	47.0	1.000017
59500.0	44.3	-67.8		75.2	558.2	326.5	45.5	1.000017
60000.0	43.2	-67.5		73.2	558.7	327.6	42.8	1.000016
70500.0	42.1	-67.2		71.2	559.1			1.000016
71000.0	41.1	-66.9		69.4	559.5			1.000015
71500.0	40.1	-66.5		67.6	560.0			1.000015
72000.0	39.1	-66.2		65.8	560.4			1.000015
72500.0	38.1	-65.9		64.0	560.8			1.000014

STATION ALTITUDE 4051.00 FEET MSL
 18 JAN. 77 1320 HRS MST
 ASCENSION NO. 22

MANDATORY LEVELS
 0180030023
 JALLEN

WSM SITE COORDINATES
 450491.60 FEET E
 464023.05 FEET N

TABLE X

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	5237.	6.0	-6.6	40.	9999.0	9999.0XX
800.0	6852.	2.0	-8.0	47.	9999.0	9999.0XX
750.0	8561.	1.5	-9.2	45.	301.3	6.6
700.0	10394.	3.3	-10.3	36.	15.7	7.8
650.0	12355.	.7	-13.5	35.	37.6	10.3
600.0	14448.	-3.0	-16.9	33.	359.3	13.2
550.0	16699.	-6.2	-22.1	27.	337.8	19.5
500.0	19121.	-11.4	-27.0	26.	348.6	28.3
450.0	21750.	-16.8	-32.8	23.	354.0	24.0
400.0	24611.	-24.2	-38.9	24.	2.7	31.6
350.0	27759.	-31.6	-45.3	24.	357.0	29.7
300.0	31271.	-40.8			324.8	31.7
250.0	35254.	-50.9			302.0	51.1
200.0	39932.	-59.8			301.7	79.3
175.0	42623.	-67.1			300.6	72.2
150.0	45649.	-68.0			786.1	63.2
125.0	49239.	-70.2			289.9	81.7
100.0	53555.	-72.6			291.2	52.9
80.0	57809.	-74.9			311.6	47.8
70.0	60369.	-74.1			310.2	37.5
60.0	63341.	-74.1			312.7	41.8
50.0	66870.	-69.4			324.4	40.9
40.0	71270.	-66.5				

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3989.00 FEET MSL
18 JAN. 77
ASCENSION NO. 44

SIGNIFICANT LEVEL DATA

C180020044
WHITE SANDS

WSTM SITE COORDINATES
488580.00 FEET E
185045.00 FEET N

TABLE XI

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
	AIR DEGREES	DEWPOINT CENTIGRADE	
890.2	11.9	-3.4	34.0
883.3	9.1	-5.9	34.0
850.0	5.8	-7.4	38.0
807.3	2.4	-10.1	39.0
736.7	.7	-13.0	35.0
700.0	1.8	-12.7	33.0
677.3	2.1	-14.5	28.0
613.3	-1.4	-18.4	26.0
579.3	-4.8	-22.2	24.0
555.3	-4.2	-24.3	19.0
500.0	-10.1	-29.3	19.0
452.3	-15.7	-34.0	19.0
400.0	-23.4	-40.5	19.0
356.3	-29.5	-45.6	19.0
338.3	-33.0	-49.1	18.0
300.0	-39.6		
250.0	-47.9		
228.3	-51.2		
200.0	-58.6		
163.8	-69.4		
150.0	-71.7		
145.3	-69.9		
141.3	-65.7		
128.3	-68.8		
100.0	-73.7		
93.3	-74.2		
86.8	-70.9		
80.3	-74.4		
74.3	-72.2		
70.0	-76.1		

STATION ALTITUDE 3989.00 FEET MSI
 18 JAN. 77 1320 HRS MST
 ASCENSION NO. 44

SIGNIFICANT LEVEL DATA
 0180020044
 WHITE SANDS

WSTM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N

TABLE XI (CONT)

PRESSURE	GEOMETRIC ALTITUDE MILLIBARS MSI FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR	DEWPOINT DEGREES CENTIGRADE	
66.3	61773.0		-74.6	
50.0	67286.0		-67.4	

STATION ALTITUDE 3989.00 FEET MSL
 18 JAN. 77 1320 HRS MST
 ASCENSION NO. 44

UPPER AIR DATA
 0180020044
 WHITE SANDS

WSTM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N

TABLE XII

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES (TN)	SPEED KNOTS	
3989.0	890.2	11.9	-3.4	34.0	1085.7	658.4	180.0	5.1	1.000264
4000.0	889.8	11.8	-3.6	34.0	1085.9	658.2	180.2	5.1	1.000264
4500.0	873.6	8.2	-6.3	35.1	1080.1	653.9	188.4	5.9	1.000259
5000.0	857.6	6.6	-7.0	37.1	1066.4	652.1	194.5	6.8	1.000255
5500.0	841.8	5.2	-7.9	38.2	1052.1	650.4	199.1	7.8	1.000251
6000.0	826.2	3.9	-8.9	38.6	1037.3	648.9	212.5	8.0	1.000246
6500.0	810.8	2.7	-9.9	38.9	1022.7	647.5	232.6	8.5	1.000242
7000.0	795.7	2.1	-10.6	38.4	1005.0	646.8	239.8	7.9	1.000238
7500.0	780.8	1.8	-11.1	37.5	988.1	646.4	242.2	6.3	1.000233
8000.0	766.2	1.4	-11.7	36.7	970.0	645.9	208.2	2.7	1.000229
8500.0	751.8	1.1	-12.3	35.9	953.9	645.5	113.9	2.2	1.000224
9000.0	737.8	.7	-12.9	35.1	937.3	645.1	72.3	4.5	1.000220
9500.0	723.9	1.1	-12.9	34.3	918.6	645.5	57.3	7.3	1.000216
10000.0	710.4	1.5	-12.8	33.6	900.0	646.0	49.6	10.3	1.000212
10500.0	697.1	1.8	-12.9	32.4	882.0	646.4	47.9	11.2	1.000208
11000.0	684.0	2.0	-13.9	29.5	865.0	646.6	47.7	11.2	1.000203
11500.0	671.2	1.8	-14.8	27.8	849.6	646.3	50.2	10.8	1.000199
12000.0	658.6	1.1	-15.6	27.4	835.7	645.5	53.8	10.2	1.000195
12500.0	646.2	.4	-16.3	27.1	822.0	644.7	43.0	9.7	1.000192
13000.0	634.1	-2.2	-17.1	26.7	808.6	643.9	29.7	9.7	1.000188
13500.0	622.1	-9.9	-17.8	26.3	795.3	643.1	9.9	10.2	1.000185
14000.0	610.4	-1.7	-18.7	25.8	782.6	642.2	355.3	11.7	1.000182
14500.0	598.8	-2.8	-20.0	25.2	771.1	640.8	355.5	13.4	1.000178
15000.0	587.4	-4.0	-21.3	24.5	759.7	639.4	355.4	15.4	1.000175
15500.0	576.2	-4.7	-22.5	23.4	747.3	638.5	354.3	18.4	1.000172
16000.0	565.2	-4.4	-23.4	21.1	732.3	638.8	352.2	20.9	1.000168
16500.0	554.3	-4.3	-24.4	19.0	717.9	639.0	348.4	22.7	1.000164
17000.0	543.6	-5.4	-25.3	19.0	706.9	637.6	345.5	23.8	1.000162
17500.0	533.1	-6.5	-26.2	19.0	696.1	636.3	343.0	23.9	1.000159
18000.0	522.8	-7.6	-27.2	19.0	685.5	635.0	343.8	24.2	1.000156

UPPER AIR DATA
 0180020044
 WHITE SANDS
 TABLE XII (CONT)

WSTM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N

STATION ALTITUDE 3989.00 FEET MSL
 18 JAN. 77
 ASCENSION NO. 44

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REF. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
18500.0	512.7	-8.7	19.0	675.1	633.7	348.1	24.6	1.000154
19000.0	502.8	-9.6	19.0	664.8	632.4	354.1	25.4	1.000151
19500.0	492.9	-10.9	19.0	654.5	631.0	1.4	26.9	1.000149
20000.0	483.2	-12.0	19.0	644.4	629.7	4.0	28.1	1.000146
20500.0	473.7	-13.1	19.0	634.4	628.3	4.7	29.0	1.000144
21000.0	464.3	-14.2	19.0	624.5	627.0	4.9	29.6	1.000141
21500.0	455.1	-15.3	19.0	614.9	625.6	4.9	30.2	1.000139
22000.0	446.0	-16.6	19.0	605.4	624.1	6.4	29.7	1.000137
22500.0	437.0	-17.9	19.0	596.1	622.5	8.3	28.9	1.000134
23000.0	428.1	-19.1	19.0	587.0	621.0	9.9	28.4	1.000132
23500.0	419.4	-20.4	19.0	578.1	619.4	11.4	28.0	1.000130
24000.0	411.0	-21.7	19.0	569.3	617.8	13.0	28.9	1.000128
24500.0	402.6	-23.0	19.0	560.6	616.2	14.4	30.3	1.000126
25000.0	394.3	-24.2	19.0	551.6	614.8	13.5	30.2	1.000124
25500.0	386.1	-25.3	19.0	542.5	613.4	11.7	29.5	1.000122
26000.0	378.1	-26.4	19.0	533.6	612.0	7.0	27.7	1.000120
26500.0	370.2	-27.5	19.0	524.9	610.7	359.6	25.5	1.000118
27000.0	362.5	-28.6	19.0	516.3	609.3	351.2	23.8	1.000116
27500.0	354.9	-29.8	18.9	508.0	607.8	341.9	22.6	1.000114
28000.0	347.4	-31.2	18.5	500.2	606.0	333.7	23.0	1.000112
28500.0	340.0	-32.7	18.1	492.5	604.2	327.6	24.6	1.000110
29000.0	332.7	-33.9	15.5**	484.4	602.6	323.6	27.2	1.000108
29500.0	325.5	-35.1	12.2**	476.4	601.1	321.1	30.5	1.000106
30000.0	318.4	-36.3	8.9**	468.4	599.5	318.7	33.1	1.000104
30500.0	311.5	-37.5	5.7**	460.6	598.0	316.0	34.6	1.000103
31000.0	304.8	-38.7	2.4**	452.9	596.5	313.4	36.1	1.000101
31500.0	298.1	-39.9		445.2	595.0	310.9	37.4	1.000099
32000.0	291.5	-40.9		437.2	593.7	308.4	38.7	1.000097
32500.0	285.0	-41.9		429.4	592.4	305.5	40.3	1.000096
33000.0	278.6	-43.0		421.6	591.1	302.4	42.5	1.000094

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
C180020044
WHITE SANDS
TABLE XII (CONT)

STATION ALTITUDE 3989.00 FEET MSL
18 JAN. 77 1320 HRS MST
ASCENSION NO. 44

WSTM SITE COORDINATES
488580.00 FEET E
185045.00 FEET N

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES (TN)	SPEED KNOTS	
33500.0	272.4	-44.0		414.1	589.7	298.9	46.3	1.000092
34000.0	266.3	-45.0		406.6	588.4	296.1	50.4	1.000091
34500.0	260.3	-46.1		399.3	587.1	294.2	54.7	1.000089
35000.0	254.5	-47.1		392.2	585.7	293.1	58.4	1.000087
35500.0	248.9	-48.1		385.1	584.5	293.1	60.9	1.000086
36000.0	243.1	-48.9		377.7	583.4	293.4	63.7	1.000084
36500.0	237.5	-49.8		370.4	582.3	295.0	68.1	1.000082
37000.0	232.1	-50.6		363.3	581.2	296.5	72.5	1.000081
37500.0	226.7	-51.6		356.5	579.9	295.8	73.2	1.000079
38000.0	221.4	-52.9		350.2	578.1	295.0	73.7	1.000078
38500.0	216.2	-54.2		344.1	576.4	293.9	72.3	1.000077
39000.0	211.1	-55.6		338.0	574.6	292.5	70.2	1.000075
39500.0	206.2	-56.9		332.1	572.9	292.4	69.4	1.000074
40000.0	201.3	-58.2		326.3	571.1	293.7	70.0	1.000073
40500.0	196.5	-59.6		320.4	569.4	294.5	70.2	1.000071
41000.0	191.7	-60.9		314.6	567.6	294.8	69.7	1.000070
41500.0	187.0	-62.2		308.8	565.8	294.8	69.0	1.000069
42000.0	182.4	-63.6		303.2	564.0	294.0	68.2	1.000068
42500.0	177.9	-64.9		297.7	562.2	293.3	67.7	1.000066
43000.0	173.6	-66.3		292.3	560.4	292.6	68.2	1.000065
43500.0	169.3	-67.6		287.0	558.5	292.0	68.8	1.000064
44000.0	165.2	-68.9		281.8	556.7	290.5	66.3	1.000063
44500.0	161.1	-69.8		276.0	555.5	288.8	63.9	1.000061
45000.0	157.0	-70.5		269.4	554.6	287.6	61.1	1.000060
45500.0	153.0	-71.2		263.9	553.7	286.4	58.3	1.000059
46000.0	149.2	-71.4		257.5	553.4	285.9	56.8	1.000057
46500.0	145.4	-69.9		249.3	555.4	286.4	57.6	1.000055
47000.0	141.8	-66.2		238.7	560.4	287.0	58.3	1.000053
47500.0	138.3	-66.4		232.9	560.2	287.7	58.6	1.000052
48000.0	134.8	-67.2		228.1	559.1	288.4	58.9	1.000051

STATION ALTITUDE 3980.00 FEET MSL
 18 JAN. 77 1320 HRS MST
 ASCENSION NO. 44
 UPPER AIR DATA
 C180020744
 WHITE SANDS
 WSIM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N
 TABLE XII (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDX OF REFRACTION
						DIRECTION DEGREES (TN)	SPEED KNOTS	
48500.0	131.5	-68.0		223.3	558.0	288.4	59.3	1.000053
49000.0	128.2	-68.8		218.6	556.9	288.2	59.8	1.000049
49500.0	125.0	-69.3		213.6	556.2	288.6	60.2	1.000048
50000.0	121.8	-69.8		208.7	555.5	290.3	60.1	1.000046
50500.0	118.7	-70.3		203.9	554.8	292.1	60.1	1.000045
51000.0	115.7	-70.8		199.2	554.1	293.0	58.4	1.000044
51500.0	112.8	-71.3		194.7	553.4	293.9	56.6	1.000043
52000.0	109.9	-71.8		190.2	552.8	293.8	55.8	1.000042
52500.0	107.1	-72.3		185.9	552.1	293.2	55.4	1.000041
53000.0	104.4	-72.8		181.6	551.4	293.4	55.4	1.000040
53500.0	101.8	-73.4		177.5	550.7	294.9	56.0	1.000040
54000.0	99.2	-73.8		173.3	550.1	296.1	56.4	1.000039
54500.0	96.7	-73.9		169.0	549.9	295.6	56.0	1.000038
55000.0	94.2	-74.1		164.8	549.6	295.1	55.5	1.000037
55500.0	91.8	-73.4		160.1	550.5	295.1	53.5	1.000036
56000.0	89.4	-72.3		155.1	552.2	295.3	50.6	1.000035
56500.0	87.2	-71.1		150.3	553.8	295.7	47.8	1.000033
57000.0	84.9	-71.9		147.0	552.7	301.0	44.6	1.000033
57500.0	82.8	-73.0		144.1	551.1	307.0	41.9	1.000032
58000.0	80.7	-74.2		141.7	549.5	312.0	39.9	1.000031
58500.0	78.6	-73.8		137.4	550.1	314.0	38.6	1.000031
59000.0	76.6	-73.1		133.4	551.1	316.1	37.3	1.000030
59500.0	74.6	-72.3		129.5	552.1	312.0	36.5	1.000029
60000.0	72.7	-73.6		127.0	550.3	307.2	35.9	1.000028
60500.0	70.9	-75.3		124.8	548.0	305.0	36.6	1.000028
61000.0	69.0	-75.8		121.8	547.3	305.1	38.2	1.000027
61500.0	67.3	-75.1		118.3	548.2	305.7	39.5	1.000025
62000.0	65.6	-74.5		114.9	549.1	309.4	40.0	1.000026
62500.0	63.9	-73.8		111.6	550.0	313.0	40.6	1.000025
63000.0	62.3	-73.2		108.5	550.9	314.9	40.1	1.000024

UPPER AIR DATA
 0180020044
 WHITE SANDS
 TABLE XII (CONT)

WSTM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N

STATION ALTITUDE 3989.00 FEET MSL
 18 JAN. 77
 1320 HRS WST
 ASCENSION NO. 44

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE			KNOTS	KNOTS	DIRECTION DEGREES(TN)	SPEED KNOTS	
53500.0	60.7	-72.5			105.4	551.9		316.1	39.0	1.000023
54000.0	59.2	-71.8			102.4	552.8		316.8	38.2	1.000023
54500.0	57.7	-71.1			99.4	553.7		315.0	38.0	1.000022
55000.0	56.2	-70.5			96.6	554.6		313.2	37.9	1.000022
55500.0	54.8	-69.8			93.9	555.5				1.000021
56000.0	53.4	-69.1			91.2	556.5				1.000020
56500.0	52.1	-68.5			88.6	557.4				1.000020
57000.0	50.7	-67.8			86.1	558.3				1.000019

STATION ALTITUDE 3989.00 FEET MSL
 18 JAN. 77 1320 HRS MST
 ASCENSION NO. 44

MANDATORY LEVELS
 0180020044
 WHITE SANDS

WSTM SITE COORDINATES
 488580.00 FEET E
 185045.00 FEET N

TABLE XIII

PRESSURE MILLIBARS	GEOPOTENTIAL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	WIND DATA	
				DIRECTION DEGREES(IN)	SPEED KNOTS
850.0	5239.	5.8	38.	196.8	7.3
800.0	6855.	2.2	39.	238.0	8.1
750.0	8561.	1.0	36.	104.7	2.4
700.0	10382.	1.8	33.	48.0	11.2
650.0	12341.	.6	27.	46.9	9.8
600.0	14437.	-2.7	25.	355.5	13.3
550.0	16688.	-4.7	19.	347.0	23.5
500.0	19123.	-10.1	19.	356.3	25.8
450.0	21757.	-16.0	19.	5.6	30.1
400.0	24627.	-23.4	19.	14.6	30.6
350.0	27786.	-30.7	19.	336.0	22.5
300.0	31310.	-39.6		311.6	37.0
250.0	35329.	-47.9		293.1	60.3
200.0	40056.	-58.6		294.0	70.2
175.0	42763.	-65.8		292.8	68.0
150.0	45783.	-71.7		285.7	56.6
125.0	49373.	-69.3		288.5	60.2
100.0	53697.	-73.7		295.9	56.4
80.0	57988.	-74.3		312.6	39.5
70.0	60548.	-75.1		305.0	37.3
60.0	63496.	-72.2		316.6	38.7
50.0	67059.	-67.4			

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.